# ATTACHMENT O HAZARDOUS WASTE PERMIT APPLICATION PART A

#### **ATTACHMENT O**

#### HAZARDOUS WASTE PERMIT APPLICATION PART A

#### **TABLE OF CONTENTS**

Part A - Hazardous Waste Permit Application

RCRA Part A Application Certification

Appendix O1 (Other Environmental Permits)

#### Appendix O2 (Maps)

- O2-1 General Location of the WIPP Facility
- O2-2 Planimetric Map-WIPP Facility Boundaries
- O2-2a Legend to Figure O2-2
- O2-3 Topographic Map Designating WIPP Property Boundaries and Underground Facilities

### Appendix O3 (Facilities)

- O3-1 Spatial View of the WIPP Facility
- O3-2 Repository Horizon
- O3-3 Waste Handling Building-Container Storage Unit
- O3-4 Parking Area-Container Storage Unit

#### Appendix O4 (Photographs)

- O4-1 Aerial Photograph of the Waste Isolation Pilot Plant
- O4-2 Underground Panel One Waste Storage Room
- O4-3 Aerial Photograph of the Waste Handling Building
- O4-4 TRUDOCKs in CH Bay of the Waste Handling Building
- O4-5 NE Corner of CH Bay of the Waste Handling Building
- O4-6 Westward View of CH Bay of the Waste Handling Building
- O4-7 Waste Hoist Conveyance Loading Facility Pallet with CH Waste, Waste Handling Building

**NOTE:** The "Part A - Hazardous Waste Permit Application" is the document submitted by the Permittees. It refers to management, storage, and disposal of remote-handled (**RH**) transuranic waste. This Permit does not authorize these activities and they have been included only to indicate what the Permittees submitted to NMED. However, maps, facility drawings, and photographs in Appendices O2, O3, and O4 which depicted RH waste activities have been edited or removed.

	F		PA R Jse O	Regio Only	nal								æ	E	P	Δ													
										Uni	ted S							n Age	ency										
									H	az	ar			ngton, S V				Pe	rn	nit									
		Dat	o Ro	ceive	od		4							olio															
Mo	onth	Date		Serve	Year	ır								ar															
	Facil	the la	EB/	IDA	- Inner	205 (	Mark	. 171	- the	200				structio	ons be	efore	starti	ing)											
I. I	acııı	tys	EPA	IDN	umo	Jer (n	Mark	k 'X' ii	n the	app	ropi	Т	_																
L						ubmis	ssion	n				-										endn	nent	#		21			)
C.	Facil	ity's	_	ID N	lumb	ber					T	D	. Sec	onda	ıry II	) Nur	mbe	er (If a	appli	cabl	e)	_		1					
N	M	4	8	9	0	1	3	9	0	8	8				'			'											
	Name					Τ.	12	Ta		T.	T_	Γ.	T_	T.,		_		Τ.		_		_	Ι.		T.,	-			
W		S Ility L	Ocat	E tion /	(Phy	reica	S	O	L not	P.O.	Box	orl	O	N e Nur	mbei	P		L	0	T		P	L	A	N				
	Stree			10	,	31		100						7															
3	О		М	ı	L	E	s		E	A	s	Т		0	F		С	Α	R	L	s	В	Α	D		О	N		
	reet (	Con	tinue	id)																									
J	A	L'		Н	ı	G	Н	W	Α	Υ			$\perp$		<u></u> '	'	'	<u> </u>									'	'	
Cit	ty or	Town	n					-										Sta	ite	Zip	Coc								
Соц	A unty 0	R	L	S	В	Α	D								'			N	M	8	8	2	2	1			<u> </u>	<u> </u>	
	(If know		-	ount				T																	Т			1	
0 B	Land	1 Tvr	E	D C Ge	D	Y	210	catio	n														Fa	cilit	Evi	eton	co D:	ato	
-	nter co							, minut		seco	nds)	LOI	VGITU	JDE (	Degre	es, n	inute	s & se	conds	()						100.10			
	F			3	2	2	2		3 (	1 (	V	1	0	3	4	7		3	0	W		0	5	1	8	1	9	8	1
	. Faci				ddre	988																							
	reet o	r P.C			Ι.,		T.	T		T,			Т									Т			Т				
P	O ty or	Tow	В	0	X		3	0	9	0								Sta	rto.	7ir	CO	do							
С	A	R	L	s	В	Α	D	T										N	M	8		1	2	1		3			
_								cont	tacte	d re	gardi	ing v	vaste	acti	ivitie	s at	facil	_	IVI		0					3		9	
	ame (														_	irst)													
М	О	0	T	Y											D		V	1	D		С								
Jo	b Titl	е													Ph	one	Num	ber	(Area	ı Co	de ai	nd N	umb	er)					
М	Α	N	Α	G	E	R									5	0	5		2	3	4	_	7	3	0	0			
						ess /	(See	instr	ructi	ons)																			
Loc	. Contation I	Mailing	Addr g O	ess	В.		et or	r P.O.		T	_	_	Т								A   A   A   A   A   A   A   A   A   A								
2"		X			Р	0		В	0	X		3	0	9	0			21			0.						<u> </u>		
Cit	ty or	R	n L	s	В	Α	D	T										Sta	M	Zip 8		_	2	1		3		Q	0
	^	12		ا کا	P '	^ '	10	1 '	'	1	1 '	1	1	1 1	1 '	(	1 - 2	IN '	IVI	١٥١	0	-	- '	'	1-	ا	10'	ן שׁ	١٧

EDA ID N		/F				41										0.			.D. N		/5				4		
N M 4	$\overline{}$	9			3	9		8	8	1						56	con	dary	ID N	umb	er (£	nte	rtroi	n pa	ge 1)		
			0	1			0		10																		
VII. Operat			tion	(See	ins	truc	tions	5)																			
A. Name o																						П					
US	D	E	Р	Α	R	Τ	М	E	N	Τ		0	F		E	N	E	R	G	Υ							
Street or F	.O. B	ox																									
PO	В	0	X		3	0	9	0			L			L													
City or To	wn															Sta	ate	z	IP Co	ode							
CAF	R L	s	В	Α	D											N	М	8	8	2	2	1	_	3	0	9	0
												В.	Ope		r	C. 0				rator			ate C	hang			
Phone Nur	$\neg$				nd N	$\overline{}$	Т			1			Ty F	1838		Va		ndica		7 [	Mont	h T	Day	т	T	ear	П
5 0 5		2	3	4		7	3	0	0				Г			Yes	3	IN	X								
VIII. Facilit								_																			
A. Name o	f Faci	lity's	Leg	al Ov	wner	_												_									
U S	D	E	Р	Α	R	<u> T</u>	M	E	N	T		0	F		E	N	E	R	G	Υ							
Street or F	.O. B	ox																									
PO	В	0	Х		3	0	9	0																			
City or To	wn															Sta	ate	z	IP Co	ode							
CAF	R L	s	В	Α	D						Π	Τ		Π	Τ	N	М	8	8	2	2	1	T	3	0	9	0
												В.	Own	er T	ype	C. 0	han	ge of	Own	ner		D	ate C	hang	jed		
Phone Nur 5 0 5	-	Area 2	3	de ar	d N	umb 7	<i>er)</i>	0	О	1			F	٦				ndica		7 [	Mont	h_	Day	т	Y	ear	
													Г			Yes	5	Ne	X								
IX. NAICS	Code	s (in	orde	r of	sign	ifica	nce;	star	t in I	eft b	ox)	<b>•</b>															
First		4	9	5	3								Third	1													
(Description)	REF	US	E S	YS	ΤE	MS							(Descri)	ption)													
Second						П	Г	1					Fourt	th			Т	П	T	П		1					
(Description)													(Descri)	ption)													
X. Other E	nviro	men	tal P	erm	its /	See	instr	uctio	ne)																		
		I	tarr	eiiii	ito (	000	mou	ucire	,,,,		4																
A. Permit (Enter co							B. Pe	ermit	Nur	nber									c	. De	scrip	tion	,				
E							1	_		1	1			1	*	See	App	oend	dix C	)1, 7	Tabl	e O	1-1				
		L		_		╀	_	_	$\perp$	_	$\perp$	+		+	+												
		$\vdash$				_	+	+	+	+	+	+	+	+	+												
		$\vdash$				+	+	+	+	+	+	+	+	+	+												
		$\vdash$	_			+	+	+	+	+	+	+	+	+	+												
		$\vdash$		$\vdash$	$\vdash$	+	+	+	+	+	+	+	+	+	+												
		$\vdash$				+	+	+		+	+	+	+	+	十												
		$\vdash$		$\vdash$		+	+	+	+	+	+	+	+	+	+												

EP	A ID	Nun	ber	(Ent	er fr	om p	age	1)			
N	М	4	8	9	0	1	3	9	0	8	8
XI.	Natu	ıre o	f Bu	sines	ss (P	rovi	de a	brie	f des	crip	tion)

The Waste Isolation Pilot Plant (WIPP) is a U.S. Department of Energy facility intended to demonstrate the technical and operational principles involved in the permanent isolation and disposal of defense-generated transuranic waste. For purposes of RCRA, WIPP operations entail receiving, unloading, and transferring radioactive-mixed waste from the surface of the site to the underground hazardous waste management units. Waste will be emplaced in an underground geologic repository horizon located in a deep-bedded salt formation approximately 2,150 feet beneath the surface.

#### XII. Process Codes and Design Capacities

- A. PROCESS CODE Enter the code from the list of process codes below that best describes each process to be used at the facility. Thirteen lines are provided for entering codes. If more lines are needed, attach a separate sheet of paper with the additional information. For "other" processes (i.e., D99, S99, T04 and X99), describe the process (including its design capacity) in the space provided in item XIII.
- B. PROCESS DESIGN CAPACITY For each code entered in column A, enter the capacity of the process.
  - 1. AMOUNT Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement
  - action) enter the total amount of waste for that process.

    2. UNIT OF MEASURE For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.
- C. PROCESS TOTAL NUMBER OF UNITS Enter the total number of units used with the corresponding process code.

C. PROC	ESS TOTAL NU	MBER OF UNITS	- Enter the total num	ber of u	nits used with	the corres	sponding process code.
PROCES: CODE	s PROCESS	MEASURE	RIATE UNITS OF F FOR PROCESS IN CAPACITY	PRO	CESS PRO	CESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
D79 Unde Well D80 Land D81 Land D82 Ocea	osal: erground Injection Disposal iffill i Treatment an Disposal ace Impoundment	Gallons; Liters; Gallo Per Day Acre-feet; Hectare-m Meters; Hectares; Cu Acres or Hectares Gallons Per Day or L Gallons; Liters; Cubi	bic Yards iters Per Day	T81 T82 T83 T84 T85 T86	Cement Kiln Lime Kiln Aggregate Kiln Phosphate Kiln Coke Oven Blast Furnace	}	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour Short Tons Per Day; Btu Per Hour; Liters Per Hour; Kilograms Per Hour or Million Btu Per Hour
Stors S01 Cont S02 Tank S03 Wasi S04 Surf: Stors S05 Drip S06 Cont	er Disposal age: lainer (Storage te Pile ace impoundment age Pad lainment Building	Gallons; Liters; Cubi Cubic Yards or Cubic	c Meters; or Cubic Yards c Meters; or Cubic Yards Meters c Meters; or Cubic Yards s; Cubic Meters; ards Meters	T87 T88 T89 T90 T91	Smelting, Melting, Or Refining Furna Titanium Dioxide Chloride Oxidatio Methane Reformir Furnace Pulping Liquor Re Furnace Combustion Devid In The Recovery C Values From Sper Acid Halogen Acid Fun Other Industrial Furn Other Industrial Furn	n Reactor ng acovery ice Used Of Sulfur nt Sulfuric maces	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; Btu Per Hour; Gallons Per Hour; Liters Per Hour; or Million Btu Per Hour
Treat	<u>lment:</u> cTreatment	Gallons Per Day; Lite Per Hour; Gallons Pe Pounds Per Hour; St	rs Per Day; Short Tons r Hour; Liters Per Hour; ort Tons Per Day; Metric Tons Per Day; or	T94	Listed in 40 CFR § Containment Buil Treatment	\$260.10	Cubic Yards; Cubic Meters; Short Tons Per Hour; Gallons Per Hour; Liters Per Hour; Btu Per Hour; Per Hour; Short Tons Per Day; Kilograms Per Hour; Metric
Trea	ace Impoundment tment	Gallons Per Day; Lite Per Hour; Gallons Pi Pounds Per Hour; St Kilograms Per Hour, Metric Tons Per Hou	rs Per Day; Short Tons er Hour; Liters Per Hour; ort Tons Per Day; Metric Tons Per Day; or	X01	Miscellaneous (Su		Toris Per Day; Gallons Per Day; Liters Per Day; Metric Tons Per Hour; or Million Btu Per Hour
	erator	Per Hour; Pounds Pe Day; Kilograms Per H Liters Per Day; Metri Million Btu Per Hour	ur; Liters Per Hour; Btu or Hour; Short Tons Per Hour; Gallons Per Day; or Tons Per Hour; or	X02	Open Burning/Op Detonation Mechanical Proce		Any Unit of Measure Listed Below Short Tons Per Hour; Metric Tons Per Hour; Short Tons Per Day; Metric Ton Per Day; Pounds Per Hour; Kilograms Per Hour; Gallons Per Hour; Liters Per Hour; or Gallons Per Day
T80 Boile	r Treatment	Hour; Short Tons Per Hour; Metric Tons Per Hour; Short Tons Per Gallons Per Day; Lite Btu Per Hour	rs Per Hour; or Million	жоз	Thermal Unit		Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; Blu Per Hour; or Million Blu Per Hour
180 Bolle	nr		ns Per Hour; Liters Per or Million Btu Per Hour	X04 X99	Geologic Reposite Other Subpart X	ory	Cubic Yards; Cubic Meters; Acre-feet; Hectare-meter; Gallons; or Liters Any Unit of Measure Listed Below
UNIT OF MEASUR		UNIT OF MEASURE CODE	UNIT OF MEASURE	м	UNIT OF EASURE CODE	UNIT O MEASL	
Gallons Gallons Liters Liters Pe	Per Hour Per Day er Hour er Day	E L H	Short Tons Per Hou Metric Tons Per Hou Short Tons Per Day Metric Tons Per Day Pounds Per Hour Kilograms Per Hour Million Btu Per Hour	,		Cubic I Acres . Acre-fe Hectare Hectare	Yards Y Meters C  Beet A es Q e-meter F r Hour I

#### NM4890139088

1

2

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

#### XII. PROCESS—CODES AND DESIGN CAPACITIES (continued)

The Waste Isolation Pilot Plant (WIPP) geologic repository is defined as a "miscellaneous unit" 3 under 40 CFR §260.10. "Miscellaneous unit" means a hazardous waste management unit 4 where hazardous waste is treated, stored, or disposed of and that is not a container, tank, surface impoundment, waste pile, land treatment unit, landfill, incinerator, containment building, 6 boiler, industrial furnace, or underground injection well with appropriate technical standards 7 under 40 CFR Part 146, corrective action management unit, or unit eligible for research, 8 development, and demonstration permit under 40 CFR §270.65. The WIPP is a geologic 9 repository designed for the disposal of defense-generated transuranic (TRU) waste. Some of 10 the TRU wastes disposed of at the WIPP contain hazardous wastes as co-contaminants. More 11 than half the waste to be disposed of at the WIPP also meets the definition of debris waste. The 12 debris categories include manufactured goods, biological materials, and naturally occurring 13 geological materials. Approximately 120,000 cubic meters (m<sup>3</sup>) of the 175,600 m<sup>3</sup> of WIPP 14 wastes is categorized as debris waste. The geologic repository has been divided into ten 15 discrete hazardous waste management units (HWMU) which are being permitted under 40 CFR 16 Part 264, Subpart X. 17

During the Disposal Phase of the facility, which is expected to last 25 years, the total amount of waste received from off-site generators and any derived waste will be limited to 175,600 m<sup>3</sup> of TRU waste of which up to 7,080 m<sup>3</sup> may be remote-handled (RH) TRU mixed waste. For purposes of this application, all TRU waste is managed as though it were mixed.

On March 25, 1996, the DOE reached the conclusion that in order to comply with 40 CFR 191 §13 which regulates the long-term release of radionuclides from a geologic disposal facility, it is necessary to add magnesium oxide to each disposal room. This additive is to be placed as a backfill. The function of the backfill is to chemically alter the composition of brine that may accumulate in the disposal region. The result of the chemical alteration is to significantly reduce the solubility of the prevalent TRU radionuclides.

The process design capacity for the miscellaneous unit (composed of ten underground HWMUs in the geologic repository) shown in Section XII B, is for the maximum amount of waste that may be received from off-site generators plus the maximum expected amount of derived wastes that may be generated at the WIPP facility. In addition, two HWMUs have been designated as container storage units (S01) in Section XII. One is inside the Waste Handling Building (WHB) and consists of the contact-handled (CH) bay, conveyance loading room, waste hoist entry room, RH bay, cask unloading room, hot cell, transfer cell, and facility cask loading room. This HWMU will be used for waste receipt, handling, and storage (including storage of derived waste) prior to emplacement in the underground geologic repository. No treatment or disposal will occur in this S01 HWMU. The capacity of this S01 unit for storage is 87.7 m<sup>3</sup>, based on 40 standard waste boxes or seven-packs of drums on pallets and in the TRUDOCKs, one standard waste box of derived waste, seven RH canisters in the transfer cell, and five RH canisters in the hot cell. The second S01 HWMU is the parking area outside the WHB where the Contact Handled Package trailers and the road cask trailers will be parked awaiting waste handling operations. The capacity of this unit is 12 TRUPACT-IIs and three road casks or four rail casks with a combined volume of 47.1 m<sup>3</sup>. The railroad side tracks are included in this area to

- accommodate rail shipments of RH TRU mixed waste. The HWMUs are shown in Appendix O3
- 2 as Figures O3-2, O3-3, and O3-4.
- During the ten year period of the permit, up to 118,500 m³ of TRU waste could be emplaced in
- Panels 1 to 7. Panels 8, 9 and 10 will be constructed under the initial term of this permit. These
- 5 latter areas will not receive waste for disposal under this permit.

EPA	IDI	Num	ber (	Ente	r from page 1)	s	Secondary II	οNι	ımt	er (E	nter	fron	n pa	ge 1)		
N	М	4	8	9	0 1 3 9 0 8 8											
XII.F	roc	ess (	Code	s an	d Design Capabilities (Continued)											
		XAMI allon:		OR	COMPLETING ITEM XII (shown in line number X-1 below): A fa	cili	ity has a stor	age	tan	k, whi	ich c	an ho	ld 53	33.788	1	
Lin			Proce		B. PROCESS DESIGN CAPACITY					cess				fficial		
Nun	nber		Code list at		1. Amount (Specify)		2. Unit Of Measure (Enter code)	N	Tota umi f Ur	ber			Jse (	Only		
х	1	s	0	2	5 3 3 7 8	8	G	0	0	1						
	1	Х	0	4	175,600 Total (54,064 in 10 years)		С	0	1	0						
	2				See attached page for additional process information											
	3	S	0	1	91.9		С	0	0	1						
	4				WHB Container Storage Unit See attached page for additional process information											
	5	S	0	1	47.1		С	0	0	1						
	6			•	Parking Area Container Storage Unit			Ť								
					See attached page for additional process information											
	7															
	8															
	9															
1	0															
1	1															
1	2															
1	3															
	as	abov	re. N	umbe	d to list more than 13 process codes, attach an additional si or the lines sequentially, taking into account any lines that w											
XIII					tem XIII. s (Follow instructions from item XII for D99, S99, T04 and	I XS	99 process o	ode	es)							
Li			Proc	_	B. PROCESS DESIGN CAPACITY		Process		_		scrip	otion	Of P	roces	s	
(Enter			Code	,	1. Amount (Specify) 2. Unit Of Measure	۸	Total Number Of Units				•					
seg v		_	_		(Enter code)	-	or Units				. ~					
Х	1	T	0	4						In-	situ	Vitrif	icati	on		
	1															- 1
	2				_											$\exists$
					·											
	3					L										
	4															$\neg$

Е	PA II	D Nu	mbe	r (Er	nter	from	pag	e 1)					Seco	ndar	y ID	Nun	ber	(Ent	er fr	om p	age	1)	
N	М	4	8	9	0	1	3	9	0	8	8												
_	IV D	necr	intio	n of	Нат	ardo	ue V	Vacto	ve														

- A. EPA HAZARDOUS WASTE NUMBER Enter the four-digit number from 40 CFR, Part 261 Subpart D of each listed hazardous waste you will handle. For hazardous wastes which are not listed in 40 CFR, Part 261 Subpart D, enter the four-digit number(s) from 40 CFR, Part 261 Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	Р	KILOGRAMS	к
TONS	T	METRIC TONS	М

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

#### D. PROCESSES

#### 1. PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous waste: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

NOTE: THREE SPACES ARE PROVIDED FOR ENTERING PROCESS CODES. IF MORE ARE NEEDED:

- Enter the first two as described above.
- 2. Enter "000" in the extreme right box of item XIV-D(1).
- 3. Use additional sheet, enter line number from previous sheet, and enter additional code(s) in item XIV-E.
- PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form (D.(2)).

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B, C and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM XIV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

			A. E	PA		B. ESTIMATED	C. UNIT OF									D. F	PROCESS
	ne nber	И	HAZ AST Inter	E NO	<b>D</b> .	ANNUAL QUANTITY OF WASTE	MEASURE (Enter code)		(1	) PR	OCE.	ss c	ODE	S (Ei	nter)		(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
X	1	K	0	5	4	900	р	Т	0	3	D	8	0				
X	2	D	0	0	2	400	P	т	0	3	D	8	0				
х	3	D	0	0	1	100	P	т	0	3	D	8	0				
х	4	D	0	0	2												Included With Above

EP/	A ID I	Num	ber (	(Ente	r fro	om page	1)									Se	con	dary	ID Nun	nber	r (En	iter fr	rom	pag	e 1)	
N	М	4	8	9	0	1 3	9	0 8	8																	
XIV	. Des	crip	tion	of H	azar	dous W	astes	(Continu	ued;	use	addit	tiona	l she	ets	as n	eces	sary									
				EPA rdous		B. Estin		C. Unit									D.	PRO	CESSE	s						
Lir Num		1	Wast	te No. code		Quan of Wa	ntity	(Ente	er	(	1) PR	ROCE	ss c	ODE	S (E	nter	code	)				CESS is not				
	1	U	0	0	2	344		М		Х	0	4	S	0	1	s	0	1	Ī							
	2	U	0	1	9	344		М		Х	0	4	S	0	1	S	0	1								
	3	U	0	3	7	344		М		Х	0	4	S	0	1	S	0	1								
	4	U	0	4	3	344		М		Х	0	4	S	0	1	S	0	1								
	5	U	0	4	4	344		М		Х	0	4	S	0	1	S	0	1								
	6	U	0	5	2	344		М		Х	0	4	S	0	1	S	0	1								
	7	U	0	7	0	344		М		Х	0	4	S	0	1	S	0	1								
	8	U	0	7	2	344		М		Х	0	4	S	0	1	S	0	1								
	9	U	0	7	8	344		М		Х	0	4	S	0	1	S	0	1								
1	0	U	0	7	9	344		М		Х	0	4	S	0	1	S	0	1								
1	1	U	1	0	5	344		М		Х	0	4	S	0	1	S	0	1								
1	2	U	1	2	2	344		М		Х	0	4	S	0	1	S	0	1						_		
1	3	J	1	3	3	344		М		Х	0	4	S	0	1	S	0	1								
1	4	J	1	5	1	344		М		Х	0	4	S	0	1	S	0	1								
1	5	U	1	5	4	344		М		Х	0	4	S	0	1	S	0	1								
1	6	U	1	5	9	344		М		Х	0	4	S	0	1	S	0	1								
1	7	U	1	9	6	344		М		Х	0	4	S	0	1	S	0	1								
1	8	U	2	0	9	344		М		Х	0	4	S	0	1	S	0	1								
1	9	U	2	1	0	344		М		Х	0	4	S	0	1	S	0	1								
2	0	U	2	2	0	344		М		Х	0	4	S	0	1	S	0	1								
2	1	U	2	2	6	344		М		Х	0	4	S	0	1	S	0	1								
2	2	U	2	2	8	344		М		Х	0	4	S	0	1	S	0	1								
2	3	U	2	3	9	344		М		Х	0	4	S	0	1	S	0	1								
2	4	Р	1	2	0	3.3		М		Х	0	4	S	0	1	S	0	1								
2	5	U	1	3	4	344		М		Х	0	4	S	0	1	S	0	1								
2	6	D	0	3	3	344		М		Х	0	4	S	0	1	S	0	1								
2	7	Р	0	3	0	344		М		Х	0	4	S	0	1	S	0	1								
2	8	Р	0	9	8	344		М		Х	0	4	S	0	1	S	0	1								
2	9	Р	0	9	9	344		М		Х	0	4	S	0	1	S	0	1								
3	0	Р	1	0	6	344		М		Х	0	4	S	0	1	s	0	1							_	
3	1	U	0	0	3	344		М		Х	0	4	S	0	1	S	0	1								
3	2	U	1	0	3	344		М		Х	0	4	S	0	1	S	0	1								
3	3	U	1	0	8	344		М		Х	0	4	S	0	1	S	0	1								
3	4																									
3	5														$\bigcap$											

	_					_		<u> </u>		_									
EF	A ID N	ımbe	r (En	ter from	page	e 1)					s	Second	ary II	) Nun	ber	(Enter f	rom p	age 1	1)
N	M 4	8	9	0 1	3	9	0 8	3 8				П	Ť	Т	Π		T		
			Ш			ш			J									ш	
X۱	/. Map	$\mathbf{X}$																	
									equivalent map, tion of each of it										
1	hazardou	s was	te tre	atment, s	torage	e, or a	disposal	ıl facilitie	ies, and each we	ell where it inje	cts flu								
,	other sur	face v	vater i	bodies in	this n	nap a	rea. Se	e instru	uctions for prec	ise requiremen	nts.								
χ١	/I. Facili	ty Dra	awine	,															
	/ I GO	ty		9															
	All existi	ng fa	cilitie	s must i	nclud	e a s	cale dra	awing (	of the facility (	See instructio	ons fo	or more	deta	iI).					
X۱	/II. Phot	ograp	ohs																
	All evistir	a faci	lities	must inc	lude r	photo	aranhs	(perial (	or ground-level)	that clearly de	lings	to all ex	rietina	structi	wag.	evietina	storac	e tres	atment
		_			_				ent or disposal a	•			_		uies,	existing	Storag	6, 56.	Willen
X۱	/III. Cert	ificat	ion(s	()															
10	ertify u	nder	pen	alty of I	aw th	at ti	nis doc	umen	t and all atta	chments we	re pr	epare	d una	ler my	dire	ection o	or sup	pervis	sion
				-		_			e that qualifie		-		-						
				_	-	_	_		persons who ubmitted is, t	_	_			-			_	-	
	_	_							ubmittea is, t enalties for si		_		_						
	nd impri						_	-					,					.,	
					_														
Ov	vner Signa	ture												D	ate Siç	gned			
	me and O					/Car	lahad [	-: old C											
	vid C. N vner Signa		/, IVIC	mayer,	DOE	/Can	SDau i	leiu O	тісе					D	ate Sig	ned			
Nio	me and O	Seiol T	wo (T)	or nein	45														
Na	me and O	Miciai i	me (1)	ype or prin	I)														
Op	erator Sign	nature												D	ate Sig	gned			
	me and O			2 P P	7									•					
Day	vid C. M erator Sign	oody nature	, Ma	nager, I	)OE/	Carls	sbad Ei	ield Ot	ffice					D	ate Sig	gned			
No	ess and O	Solol T	wa (T)	ran or prin	44														
Ric	hard D.	Raaz	z, Ge	neral M	anag	jer –	Washi	ngton	TRU Solution	ns, LLC									
XI	X. Comr	nents	;																
		^							~~~		~ ·		.,						
Sec	ction xv	III Op	<u>oerat</u>	or Signa	<u>ature</u>	<u>- ^S</u> (	e atta	<u>chea</u>	'RCRA Part A	A Application	Ceru	ificatio	<u>on"</u>						
	• PI	revio	us r	<u>evision</u>	s we	re s	<u>ubmitt</u>	ed or	n July 9, 199	1; Novemb	er 12	2, 199	92; Ja	anuar	y 29	), 1993	s; <u>Ma</u>	rch 2	<u>, 1995</u> ;
	М	ay 2	6, 19	995; Ap	ril 12	2, 19	996; N	lay 29	9, 1996; Apri	il 21, 1999;	Мау	<b>/ 10</b> , 1	1999;	Feb	ruar	y 2, 20	01;		
									mber 27, 20									ıber	11,
	20	003,	Janı	uary 12	, 200	J4, J	 Januar	y 15,	2004,Nover	mber 24, 20	004,	Dece	mber	30, 2	2004	1, April	29, 2	2005	, June
									12, 2005							•			
			•						8, 1991, and	submitted	on .	Janua	rv 22	2. 199	91.				
		٠	09	,	.90	u 0.		u.,	o, 1001, and	a cabiiiitea	0	Janaa	.,	.,					

Note: Mail completed form to the appropriate EPA Regional or State Office. (Refer to instructions for more information)

#### RCRA PART A APPLICATION CERTIFICATION

The U.S. Department of Energy (DOE), through its Carlsbad Field Office, has signed as "owner and operator," and Washington TRU Solutions LLC, the Management and Operating Contractor (MOC), has signed this application for the permitted facility as "co-operator."

The DOE has determined that dual signatures best reflect the actual apportionment of Resource Conservation and Recovery Act (RCRA) responsibilities as follows:

The DOE's RCRA responsibilities are for policy, programmatic directives, funding and scheduling decisions, Waste Isolation Pilot Plant (WIPP) requirements of DOE generator sites, auditing, and oversight of all other parties engaged in work at the WIPP, as well as general oversight.

The MOC's RCRA responsibilities are for certain day-to-day operations (in accordance with general directions given by the DOE and in the Management and Operating Contract as part of its general oversight responsibility), including, but not limited to, the following: certain waste handling, monitoring, record keeping, certain data collection, reporting, technical advice, and contingency planning.

For purposes of the certification required by Title 20 of the New Mexico Administrative Code, Chapter 4, Part 1, Subpart IX, (20.4.1.900 NMAC),incorporating 40 CFR, §270.11(d), the DOE's and the MOC's representatives certify, under penalty of law that this document and all attachments were prepared under their direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on their inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of their knowledge and belief, true, accurate, and complete for their respective areas of responsibility. We are aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Owner and Operator Signature	: David C. Moody
Title	: Manager, Carlsbad Field Office
	U.S. Department of Energy
	Date:
Co-Operator Signature	: Richard D. Raaz
Title:	General Manager
for:	Washington TRU Solutions LLC
Date:	

1

# APPENDIX O1 OTHER ENVIRONMENTAL PERMITS

# ACTIVE ENVIRONMENTAL PERMITS AND APPROVALS FOR THE WASTE ISOLATION PILOT PLANT AS OF APRIL 1, 2003

	Granting Agency	Type of Permit	Permit Number	Granted/ Submitted	Expiration	Current Permit Status
1.	Department of the Interior, Bureau of Land Management	Right-of-Way for Water Pipeline	NM53809	08/17/83	In Perpetuity	Active
2.	Department of the Interior, Bureau of Land Management	Right-of-Way for the North Access Road	NM55676	08/24/83	None	Active
3.	Department of the Interior, Bureau of Land Management	Right-of-Way for Railroad	NM55699	09/27/83	None	Active
4.	Department of the Interior, Bureau of Land Management	Right-of-Way for Dosimetry and Aerosol Sampling Sites	NM63136	07/31/86	07/31/11	Active
5.	Department of the Interior, Bureau of Land Management	Right-of-Way for Seven Subsidence Monuments	NM65801	11/07/86	None	Active
6.	Department of the Interior, Bureau of Land Management	Right-of-Way for Aerosol Sampling Site	NM77921	08/18/89	08/18/19	Active
7.	Department of the Interior, Bureau of Land Management	Right-of-Way for 2 Survey Monuments	NM82245	12/13/89	12/13/19	Active
8.	Department of the Interior, Bureau of Land Management	Right-of-Way for telephone cable	NM46029	07/03/90	09/04/11	Active
9.	Department of the Interior, Bureau of Land Management	Right-of-Way for SPS Powerline	NM43203	02/20/96	10/19/11	Active
10.	Department of the Interior, Bureau of Land Management	Right-of-Way for South Access Road	NM46130	09/26/94	08/17/31	Active
11.	Department of the Interior, Bureau of Land Management	Right-of-Way for Duval telephone line	NM60174	11/06/96	03/08/15	Active
12.	Department of the Interior, Bureau of Land Management	Right-of-Way for Wells AEC-7 & AEC-8	NM108365	08/30/02	08/30/32	Active
13.	Department of the Interior, Bureau of Land Management	Right-of-Way for ERDA-6	NM108365	08/30/02	08/30/32	Active
14.	Department of the Interior, Bureau of Land Management	Right-of-Way for Well C-2756 (P-18)	NM108365	08/30/02	08/30/32	Active
15.	Department of the Interior, Bureau of Land Management	Right-of-Way for Monitoring Well C-2664 (Cabin Baby)	NM107944	04/23/02	04/23/32	Active

	Granting Agency	Type of Permit	Permit Number	Granted/ Submitted	Expiration	Current Permit Status
16.	Department of the Interior, Bureau of Land Management	Right-of-Way for Seismic Monitoring Station	NM85426	09/23/91	None	Active
17.	Department of the Interior, Bureau of Land Management	Right-of-Way for Wells C-2725 (H-4A), C-2775 (H-4B), & C- 2776 (H-4C)	NM108365	08/30/02	08/30/32	Active
18.	Department of the Interior, Bureau of Land Management	Right-of-Way for Monitoring Wells C-2723 (WIPP-25), C- 2724 (WIPP-26), C-2722 (WIPP-27), C-2636 (WIPP- 28), C-2743 (WIPP-29), & C- 2727 (WIPP-30)	NM108365	08/30/02	08/30/32	Active
19.	Department of the Interior, Bureau of Land Management	Right-of-Way for Aerosol Sampling Sites	NM77921	10/03/89	08/18/19	Active
20.	Department of the Interior, Bureau of Land Management	Right-of-Way easement for accessing state trust lands in Eddy & Lea Counties	NM25430	02/29/00	09/28/04	Active
21.	U.S. Department of the Interior, Fish and Wildlife Service	Concurrence that WIPP construction activities will have no significant impact on federally-listed threatened or endangered species	None	05/29/80	None	Active
22.	U.S. Department of the Interior, Fish and Wildlife Service	Master Personal Banding	#22478	05/19/93	Auto. Renewed every 3 years	Active
23.	New Mexico Commissioner of Public Lands	Right-of-Way for High Volume Air Sampler	RW-22789	10/03/85	10/03/20	Active
24.	New Mexico Environment Department Groundwater Bureau	Discharge Permit	DP-831	07/03/97	07/03/02 (Comments on Draft Renewal submitted April 10, 2003)	Active
25.	New Mexico Environment Department Air Quality Bureau	Operating Permit for two backup diesel generators	310-M-2	12/07/93	None	Active
26.	New Mexico Department of Game and Fish	Concurrence that WIPP construction activities will have no significant impact on statelisted threatened or endangered	None 07/25/83	05/26/89	None	Active

	Granting Agency	Type of Permit	Permit Number	Granted/ Submitted	Expiration	Current Permit Status
		species				
27.	New Mexico Environment Department-UST Bureau	Underground Storage Tanks	NMED11811 (Number changes annually)	07/01/02	06/30/03 (2003 registration submitted 6/18/02)	Active
28.	New Mexico State Engineer Office	Monitoring Well Exhaust Shaft Exploratory Borehole	C-2801,	02/23/01	None	Active
29.	New Mexico State Engineer Office	Monitoring Well Exhaust Shaft Exploratory Borehole	C-2802	02/23/01	None	Active
30.	New Mexico State Engineer Office	Monitoring Well Exhaust Shaft Exploratory Borehole	C-2803	02/23/01	None	Active
31.	New Mexico State Engineer Office	Monitoring Well	C-2811	03/02/02	None	Active
32.	New Mexico State Engineer Office	Appropriation: WQSP-1 Well	C-2413	10/21/96	None	Active
33.	New Mexico State Engineer Office	Appropriation: WQSP-2 Well	C-2414	10/21/96	None	Active
34.	New Mexico State Engineer Office	Appropriation: WQSP-3 Well	C-2415	10/21/96	None	Active
35.	New Mexico State Engineer Office	Appropriation: WQSP-4 Well	C-2416	10/21/96	None	Active
36.	New Mexico State Engineer Office	Appropriation: WQSP-5 Well	C-2417	10/21/96	None	Active
37.	New Mexico State Engineer Office	Appropriation: WQSP-6 Well	C-2418	10/21/96	None	Active
38.	New Mexico State Engineer Office	Appropriation: WQSP-6a Well	C-2419	10/21/96	None	Active
39.	New Mexico State Engineer Office	Monitoring Well AEC-7	C-2742	11/06/00	None	Active
40.	New Mexico State Engineer Office	Monitoring Well AEC-8	C-2744	11/06/00	None	Active
41.	New Mexico State Engineer Office	Monitoring Well Cabin Baby	C-2664	07/30/99	None	Active
42.	New Mexico State Engineer Office	Monitoring Well D-268 Plugged to 220'. Livestock watering	C-2638	01/12/99	None	Active

	Granting Agency	Type of Permit	Permit Number	Granted/ Submitted	Expiration	Current Permit Status
43.	New Mexico State Engineer Office	Monitoring Well DOE-1	C-2757	11/06/00	None	Active
44.	New Mexico State Engineer Office	Monitoring Well DOE-2	C-2682	04/17/00	None	Active
45.	New Mexico State Engineer Office	Monitoring Well ERDA-9	C-2752	11/06/00	None	Active
46.	New Mexico State Engineer Office	Monitoring Well H-1	C-2765	11/06/00	None	P&A
47.	New Mexico State Engineer Office	Monitoring Well H-2A	C-2762	11/06/00	None	Active
48.	New Mexico State Engineer Office	Monitoring Well H-2B1	C-2758	11/06/00	None	Active
49.	New Mexico State Engineer Office	Monitoring Well H-2B2	C-2763	11/06/00	None	Active
50.	New Mexico State Engineer Office	Monitoring Well H-2C	C-2759	11/06/00	None	Active
51.	New Mexico State Engineer Office	Monitoring Well H-3B1	C-2764	11/06/00	None	Active
52.	New Mexico State Engineer Office	Monitoring Well H-3B2	C-2760	11/06/00	None	Active
53.	New Mexico State Engineer Office	Monitoring Well H-3B3	C-2761	11/06/00	None	Active
54.	New Mexico State Engineer Office	Monitoring Well H-3D	pending	11/06/00	None	Active
55.	New Mexico State Engineer Office	Monitoring Well H-4A	C-2725	11/06/00	None	P&A
56.	New Mexico State Engineer Office	Monitoring Well H-4B	C-2775	11/06/00	None	Active
57.	New Mexico State Engineer Office	Monitoring Well H-4C	C-2776	11/06/00	None	Active
58.	New Mexico State Engineer Office	Monitoring Well H-5A	C-2746	11/06/00	None	Active
59.	New Mexico State Engineer Office	Monitoring Well H-5B	C-2745	11/06/00	None	Active
60.	New Mexico State Engineer Office	Monitoring Well H-5C	C-2747	11/06/00	None	Active
61.	New Mexico State Engineer	Monitoring Well	C-2751	11/06/00	None	Active

	Granting Agency	Type of Permit	Permit Number	Granted/ Submitted	Expiration	Current Permit Status
	Office	H-6A				
62.	New Mexico State Engineer Office	Monitoring Well H-6B	C-2749	11/06/00	None	Active
63.	New Mexico State Engineer Office	Monitoring Well H-6C	C-2750	11/06/00	None	Active
64.	New Mexico State Engineer Office	Monitoring Well H-7A	C-2694	04/17/00	None	P&A
65.	New Mexico State Engineer Office	Monitoring Well H-7B1	C-2770	11/06/00	None	Active
66.	New Mexico State Engineer Office	Monitoring Well H-7B2	C-2771	11/06/00	None	Active
67.	New Mexico State Engineer Office	Monitoring Well H-7C	C-2772	11/06/00	None	Active
68.	New Mexico State Engineer Office	Monitoring Well H-8A	C-2780	11/06/00	None	Active
69.	New Mexico State Engineer Office	Monitoring Well H-8B	C-2781	11/06/00	None	Active
70.	New Mexico State Engineer Office	Monitoring Well H-8C	C-2782	11/06/00	None	Active
71.	New Mexico State Engineer Office	Monitoring Well H-9A	C-2785	11/06/00	None	P&A
72.	New Mexico State Engineer Office	Monitoring Well H-9B	C-2783	11/06/00	None	Active
73.	New Mexico State Engineer Office	Monitoring Well H-9C	C-2784	11/06/00	None	Active
74.	New Mexico State Engineer Office	Monitoring Well H-10A	C-2779	11/06/00	None	Active
75.	New Mexico State Engineer Office	Monitoring Well H-10B	C-2778	11/06/00	None	P&A
76.	New Mexico State Engineer Office	Monitoring Well H-10C	C-2695	04/17/00	None	Active
77.	New Mexico State Engineer Office	Monitoring Well H-11B1	C-2767	11/06/00	None	Active
78.	New Mexico State Engineer Office	Monitoring Well H-11B2	C-2687	04/17/00	None	Active
79.	New Mexico State Engineer Office	Monitoring Well H-11B3	C-2768	11/06/00	None	Active

	Granting Agency	Type of Permit	Permit Number	Granted/ Submitted	Expiration	Current Permit Status
80.	New Mexico State Engineer Office	Monitoring Well H-11B4	C-2769	11/06/00	None	Active
81.	New Mexico State Engineer Office	Monitoring Well H-12	C-2777	11/06/00	None	Active
82.	New Mexico State Engineer Office	Monitoring Well H-14	C-2766	11/06/00	None	Active
83.	New Mexico State Engineer Office	Monitoring Well H-15	C-2685	04/17/00	None	Active
84.	New Mexico State Engineer Office	Monitoring Well H-16	C-2753	11/06/00	None	Active
85.	New Mexico State Engineer Office	Monitoring Well H-17	C-2773	11/06/00	None	Active
86.	New Mexico State Engineer Office	Monitoring Well H-18	C-2683	04/17/00	None	Active
87.	New Mexico State Engineer Office	Monitoring Well H-19B0	C-2420	01/25/95	01/31/98	Inactive Renew when necessary
88.	New Mexico State Engineer Office	Monitoring Well H-19B1	C-2420	01/25/95	01/31/98	Inactive Renew when necessary
89.	New Mexico State Engineer Office	Monitoring Well H-19B2	C-2421	01/25/95	01/31/98	Inactive Renew when necessary
90.	New Mexico State Engineer Office	Monitoring Well H-19B3	C-2422	01/25/95	01/31/98	Inactive Renew when necessary
91.	New Mexico State Engineer Office	Monitoring Well H-19B4	C-2423	01/25/95	01/31/98	Inactive Renew when necessary
92.	New Mexico State Engineer Office	Monitoring Well H-19B5	C-2424	01/25/95	01/31/98	Inactive Renew when necessary
93.	New Mexico State Engineer Office	Monitoring Well H-19B6	C-2425	01/25/95	01/31/98	Inactive Renew when necessary
94.	New Mexico State Engineer Office	Monitoring Well H-19B7	C-2426	01/25/95	01/31/98	Inactive Renew when necessary
95.	New Mexico State Engineer Office	Monitoring Well P-14	C-2637	01/02/99	None	P&A

	Granting Agency	Type of Permit	Permit Number	Granted/ Submitted	Expiration	Current Permit Status
96.	New Mexico State Engineer Office	Monitoring Well P-15	C-2686	04/17/00	None	P&A
97.	New Mexico State Engineer Office	Monitoring Well P-17	C-2774	11/06/00	None	Active
98.	New Mexico State Engineer Office	Monitoring Well P-18	C-2756	11/06/00	None	P&A
99.	New Mexico State Engineer Office	Monitoring Well WIPP-12	C-2639	01/12/99	None	Active
100.	New Mexico State Engineer Office	Monitoring Well WIPP-13	C-2748	11/06/00	None	Active
101.	New Mexico State Engineer Office	Monitoring Well WIPP-18	C-2684	04/17/00	None	Active
102.	New Mexico State Engineer Office	Monitoring Well WIPP-19	C-2755	11/06/00	None	Active
103.	New Mexico State Engineer Office	Monitoring Well WIPP-21	C-2754	11/06/00	None	Active
104.	New Mexico State Engineer Office	Monitoring Well WIPP-25	C-2723	07/26/00	None	Active
105.	New Mexico State Engineer Office	Monitoring Well WIPP-26	C-2724	11/06/00	None	Active
106.	New Mexico State Engineer Office	Monitoring Well WIPP-27	C-2722	11/06/00	None	Active
107.	New Mexico State Engineer Office	Monitoring Well WIPP-28	C-2636	01/12/99	None	P&A
108.	New Mexico State Engineer Office	Monitoring Well WIPP-29	C-2743	11/06/00	None	Active
109.	New Mexico State Engineer Office	Monitoring Well WIPP-30	C-2727	08/04/00	None	Active

P&A – Plugged and Abandoned

# APPENDIX O2 MAPS




Figure O2-1
General Location of the WIPP Facility





Figure O2-2 Planimetric Map-WIPP Facility Boundaries

### LEGEND



### NOTES

- 1. The Property Protection Area is a fenced area of approximately 35 acres. It contains all surface facilities with the exception of salt storage piles, parking lot, landfill and waste water stabilization lagoons.
- 2. Zone II overlies the maximum extent of the Area available for underground development.
- 3. WIPP site boundary (WSB) provides a one mile buffer area around the area available for underground development.

Figure O2-2a Legend to Figure O2-2




Figure O2-3
Topographical Map Designating WIPP Property Boundaries and Underground

# APPENDIX O3 FACILITIES




Figure O3-1 Spatial View of the WIPP Facility

PERMIT ATTACHMENT O Page O3-31




Figure O3-2 Repository Horizon




Figure O3-3
Waste Handling Building-Container Storage Unit




Figure O3-4
Parking Area-Container Storage Unit

### APPENDIX 04 PHOTOGRAPHS




Figure O4-1
Aerial Photograph of the Waste Isolation Pilot Plant




Figure O4-2 Underground - Panel One - Waste Storage Room



Figure O4-3
Aerial Photograph of the Waste Handling Building




Figure O4-4
TRUDOCKs in CH Bay of the Waste Handling Building



Figure O4-5 NE Corner of CH Bay of the Waste Handling Building



Figure O4-6
Westward View of CH Bay of the Waste Handling Building



Figure O4-7
Waste Hoist Conveyance - Loading Facility Pallet with CH Waste, Waste Handling Building